



# Certificate of Inspection

PIPA Device Reference Number: **56402** | Tag Number: **56402** | Report: **416851-v1**

Pass

I confirm that this inflatable Bounce and Slide combo device has been inspected in accordance with the PIPA scheme rules, and where it is applicable, it meets the requirements of BS EN 14960. All details contained within this inspection report are a true representation of what I found and observed during my inspection process.

Inspection Valid From:  
17 March 2025

Expiry Date:  
16 March 2026

Inspector Name: **Peter Grand**  
Inspection Body: **Inflatable Testing & Training Services**  
Inspection Report ID: **416851-v1**  
Signature:

Peter Grand

## Device Details

Manufacturer: **Airquee Ltd**  
Device Type: **Bounce/Slide Combo**  
Manufactured Date: **Unknown**  
Device Description:  
Device Disclaimer: I confirm that this inflatable Bounce and Slide combo device has been inspected in accordance with the PIPA scheme rules, and where it is applicable, it meets the requirements of BS EN 14960. All details contained within this inspection report are a true representation of what I found and observed during my inspection process.  
Dimensions (L x W x H): **4.6m x 3.75m x 2.95m**  
Tested for Indoor Use Only? **No**

**View Report**  
Scan the QR Code  
to access the full  
report



# Inspection Report 416851-v1

ID: 416851-v1

Inspection Valid from: 17 March 2025

Expiry Date: 16 March 2026

Status: **Pass**

Inspection Body: Inflatable Testing & Training Services

Tag No: 56402

Device Type: Bounce/Slide Combo

Serial Number: P49087\_D



Item	Status / Details	Notes
Report Details		

This is an inspection of an inflatable device which has been completed under the scheme rules of the PIPA Testing Scheme Limited.

Creation Date:	17/03/2025
Inspection Date:	17/03/2025
Place of Inspection:	East Horsley
Inspector:	20: Peter Grand
Structure version:	202407
Tested for Indoor Use Only:	No

## Device

Information about the device can be found below.

PIPA Reference Number:	56402
Tag Number:	56402
Type:	Bounce/Slide Combo
Name:	15 x 12 Front Slide Combi Unicorn
Manufacturer:	Airquee Ltd
Serial Number:	P49087_D
Date Manufactured:	Unknown
Device Images:	





## Device

Where is the device information or label?:

side/Front/inflation tube

## Structure

This section of the report contains important structural information about your device. How a device has been designed and structured is a very important part of device safety.

Length: 4.6m

Width: 3.75m

Height: 2.95m

Bed Panel Width: 0.54m

Trough Depth: Pass 0.08m

Seam Security: Pass No issues

The size of the stitching is between 3mm and 8mm: Pass 4-5mm

Internal wall Heights: Pass 1.1m Enclosed

Are the walls able to contain the intended users?: Pass

Open Side Fall off Height: Pass 0.45m

Grounding: Pass 85kg

Stability: Pass No issues

Entrapment: Pass No issues

Sharp Angles or Hard Surfaces: Pass No issues

Number of Zips: Pass 1 Enclosed - No issues

Window Integrity:

Are Nets Present?: Yes

Ceiling Netting < 8mm: black scrim

Walls / Windows Netting < 30mm: Pass

Are clamber nets present?: No

Air Loss Points: Pass No issues

Markings: Pass See images

Type of Artwork: Pass Printed

## Materials

This covers the materials your device has been made from. Although the structure won't change over time the condition of materials will due to wear and tear and exposure to users and the elements.

Fabric Material and Condition: Pass Manufacturer - No issues

Thread Condition: Pass Manufacturer - No issues



## Materials

Material Fire Retardancy:

Pass

Manufacturer – No issues

De-lamination of PVC:

Pass

No issues

## Anchorage

A vital part of safe inflatable device operation is appropriate anchoring – especially when devices are used outdoors.

Number of high level anchors:

0

Calculated Required No. of Anchor Points:

5

Total No. of Anchor Points:

Pass

7

Anchor Point Integrity, Location and Angle:

Pass

3 left side 2 right side 2 rear

Anchor Point Accessories:

Pass

Anchor Description:

Pass

Triangle PVC

Are Ropes Present:

No

## Area & surround

Play Area m<sup>2</sup>:

6m<sup>2</sup>

## Blowers

By definition inflatable devices covered by the PIPA Testing Scheme will use blowers. Blowers are fundamental to the operation of the device and will be checked both mechanically and electrically by your inspector. Note that is common for blowers to be moved between devices as, in many cases, it's not possible to always ensure a specific blower will always be used with a specific device. If blowers are swapped or replaced, they must be of the same design and power as used when the device was inspected.

Air Pressure:

Pass

1.39kPa

2024 = 1.37kPa



Number of Blowers:

1

PAT Test – Is there a valid PAT test result within the past 12 months?:

Date of PAT Test:

CE/UKCA Mark:

Pass

Blowers

Inspection of the blower's inlet guard, outlet guard, non-return valve and impeller:

Pass

No issues

Blower Electrical Cable:

Pass

Blower Manufacturer:

Gibbons

Constant air



Blower Model Reference:

Picture

Blower Serial Number:

SN137151

Blower Power / Size:

1.5hp

Blower Distance:

Pass

1.47m

Entrance, exits & evacuation

The entrance or exit of an inflatable is important to ensure safe access and evacuation. It also has design features to help reduce the risks to users on the device.

Evacuation Time:

Pass

11Seconds

Is the device considered to be an enclosed unit?:

No

Does the device have a step?:

Yes

Adjacent Platform Height:

0.67m

Length of Step :

Pass

1.17m

Slides

Slides are a particularly fun feature of an inflatable device and there are critical dimensions required to ensure safe operation.

Number of Slides:

1

Platform Height:

1.4m

Platform Wall Height:

Pass

0.56m

Slide Wall Height:

Pass

0.56m

Slide Sheet:

Pass

Run Out:

Pass

0.9m

Platform Roof Fitted: Pass

Is the method of access to the slide using foam steps?: Yes

Users

Understanding the height and number of users is vital to safe operation of an inflatable device. This should have been specified by the device manufacturer, but the inspector will check the manufacturers recommendations based on device dimensions and appropriate standards.

Max Number of Users of Height up to 1.0m: 6 Manufacturer

Max Number of Users of Height up to 1.2m: 5 Manufacturer

Max Number of Users of Height up to 1.5m: 4 Manufacturer

Max Number of Users of Height up to 1.8m: 4 Manufacturer

Custom Max User Height:

Notes

These are final notes sections for the relate to the report and are particularly important to pay attention to if present. Risk Assessments contain important operational information that must be noted and acted on to ensure safe play. Your inspector may also provide other Advisory Notes related to maintenance or operation over the next 12 months

Additional Notes: Maximum operating wind speed outdoors - 24mph. - All anchor points to be used outdoors using ground stakes minimum size 16mm x 380mm or equivalent 163kgs per anchor point if setting up on hard surface. - Stakes should not protrude more than 25mm above ground level. - Minimum operating pressure 1kPa. - Mats to be used at entrance/exit when operating on hard surface. - Adult supervision always. - Manufacturers Operation manual must always be followed. - Pressure to be checked and recorded prior to each use.

Risk Assessment Notes:

Repairs needed to pass inspection:

Advisory items :

I confirm that this inflatable Bounce and Slide combo device has been inspected in accordance with the PIPA scheme rules, and where it is applicable, it meets the requirements of BS EN 14960. All details contained within this inspection report are a true representation of what I found and observed during my inspection process.

Peter Grand